

ND CleanMove 3

Surface and air disinfection

Areas of use:

- Air disinfection
- Surface disinfection

To be used in:

• Dairies	• Hospitals
• Kitchens	• Laboratories
• Industries	• Food production
• Pharmaceutical industries	



Description:

UV unit for surface and air disinfection. CleanMove 3 is a mobile unit on wheels that can be easily disassembled and moved around to different locations. The disinfection rate is up to 99,9% on a wide range of bacteria, viruses, and fungi on all light-accessible surfaces. The unit has a treatment time of up to 100 minutes (depends on the selected UVC dose).

The unit has electronics built into the base module and is available with remote control for a dedicated control box or control box connected by cable.

Technical data:

• Name	ND CleanMove 3	• Arc length	3 x 767 mm
• Area of use	Surface and air disinfection	• Total length	50 mm
• Lifetime on bulb	Up to 10.000 hours or 3000 on/off or 2 years from delivery	• Total width	50 mm
• Temperature range	20-40°C	• Total height	202 mm
• Numbers of lamps	3	• Weight	25 kg.
• IP	65	• UVC dosage*)	705 µW/cm ²
• Electrical connection	230 V – 3 x 90 W	• Material	Aluminum

*) The UV dosage is measured at a distance of 100 cm according to the norm and with the use of an approved ballast.

Warning:

UV radiation is dangerous for your skin and eyes! Both your eyes and skin must be appropriately protected from the direct UV light. The user will be responsible for his own safety, as well as for the safety of people who are staying in areas where these units are being used. Please bear in mind that materials which are not UVC-resistant may be damaged.